LQJL - JEGIN LUG TUZLA

Note: The following sections in this chapter are intentionally left blank: AD-4.4, AD-4.5, AD-4.7, AD-4.8, AD-4.11, AD-4.13, AD-4.14, AD-4.15, AD-4.16, AD-4.19, AD-4.20, AD-4.21, AD-4.22, AD-4.23, AD-4.24

LQJL AD 4.1 AERODROME LOCATION INDICATOR AND NAME

LQJL - JEGIN LUG - TUZLA

LQJL AD 4.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	442730N 0184832E
2	Direction and distance from (city)	12.5 KM SE from Tuzla - direction 110°
3	Elevation/Reference temperature	872 FT/26° C
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual Change	5° E (2020)/0.1° increasing
6	AD Administration Address Telephone Telefax AFS SITA URL	Post: Aero-klub “TUZLA” Airfield: Jegin Lug PP 29 Location: Donji Rainci 75000 Tuzla Kalesija Municipality Bosnia and Herzegovina Bosnia and Herzegovina Phone: +387 61 164 020 +387 35 238 302 Fax: +387 35 238 302 AFS: NIL SITA: NIL E-mail: ak.tuzla@gmail.com URL: NIL
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	NIL

LQJL AD 4.3 OPERATIONAL HOURS

1	AD Operator (AIRFIELD)	O/R [1)]
2	Customs and immigration	NIL
3	Health and sanitation	In Živinice, H24
4	AIS Briefing Office	Provided by: TUZLA ARO AFTN: LQTZZPZX PHONE: +387 35 745 530 FAX: +387 35 745 532 EMAIL: tuzla.aro@bhansa.gov.ba
5	ATS Reporting Office (ARO)	
6	MET Briefing Office	Provided by: TUZLA MET AFTN: LQTZYMYX PHONE: +387 35 745 746 FAX: +387 35 745 532 EMAIL: tuzla.met@bhansa.gov.ba
7	ATS	NIL
8	Fuelling	NIL
9	Handling	NIL
10	Security	NIL
11	De-icing	NIL
12	Remarks	1) Aero klub “Tuzla” activities and/or O/R. Info available by phone/e-mail. 2) First landing of VFR flights to and departure from Bosnia and Herzegovina must be performed to/from one of International Airports (LQBK, LQMO, LQSA or LQTZ).

LQJL AD 4.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 1
2	Rescue equipment	NIL
3	Capability for removal of disabled aircraft	NIL
4	Remarks	Cat 2 or CAT 3 on request 48 HR per notice

LQJL AD 4.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	NIL
2	RWY and TWY markings and LGT	RWY LDG: Direction indicator RWY EDGE: Concrete boundary markers
3	Stop bars	NIL
4	Remarks	NIL

LQJL AD 4.10 AERODROME OBSTACLES

1. OBSTACLES IN AREA 2

Obstacle ID	Obstacle type	Coordinates	ELEV at TOP/ HGT	Marking / LGT type / colour	Remarks
1	2	3	4	5	6
NIL	High trees in vicinity of THR 22	442744N 0184859E	Three tops height 16 M AGL	NIL	RWY 04 TKOF is forbidden
NIL	Power lines 180 M North of THR 22	442745N 0184851E	Height 25 M AGL	NIL	RWY 04 TKOF is forbidden

2. OBSTACLES IN AREA 3

Obstacle ID	Obstacle type	Coordinates	ELEV at TOP/ HGT	Marking / LGT type / colour	Remarks
1	2	3S	4	5	6
NIL	NIL	NIL	NIL	NIL	NIL

LQJL AD 4.12 RUNWAY PHYSICAL CHARACTERISTICS

RWY Designator	True BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR COORD, RWY end COORD, THR GUND	THR ELEV and highest ELEV of TDZ of precision APP RWY
1	2	3	4	5	6
04	040° MAG	915 X 40	Strength: up to 5700 KG MTOW Surface:GRASS	442719.24N 0184817.49E NIL NIL	THR 853 FT TDZ NIL
22	220° MAG	915 X 40	Strength: up to 5700 KG MTOW Surface:GRASS	442740.35N 0184846.08E NIL NIL	THR 902 FT TDZ NIL

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	OFZ	Remarks
7	8	9	10	11	12	13
+ 1.64%	NIL	NIL	NIL	NIL	NIL	NIL
- 1.64%	NIL	NIL	NIL	NIL	NIL	NIL

LQJL AD 4.17 ATS AIRSPACE

1	Designation and lateral limits	JEGIN LUG-TUZLA [1)] 443327N 0184545E; 443605N 0190106E; 441656N 0190300E; 442054N 0184724E; 443327N 0184545E.
2	Vertical limits	GND - 9000 FT AMSL
3	Airspace classification	G
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	10000 FT AMSL
6	Hours of applicability	NIL
7	Remarks	[1)] Sport, glider and parachuting area

LQJL AD 4.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
INFO	JEGIN LUG	123.500 MHZ	O/R [1)]	[1)] Aero klub “Tuzla” activities and/or O/R. Info available by phone/e-mail

THIS PAGE INTENTIONALLY LEFT BLANK