LQNI - NISICI

Note: The following sections in this chapter are intentionally left blank: AD-4.4, AD-4.5, AD-4.7, AD-4.8, AD-4.10, AD-4.11, AD-4.13, AD-4.14, AD-4.15, AD-4.16, AD-4.19, AD-4.20, AD-4.21, AD-4.22, AD-4.23, AD-4.24, AD-4.25

LQNI AD 4.1 AERODROME LOCATION INDICATOR AND NAME

LQNI - NISICI

LQNI AD 4.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	440409.76N 0183032.44E
2	Direction and distance from (city)	7 KM SW from Olovo
3	Elevation/Reference temperature	3185 FT/23° C
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual Change	5° E (2020)/0.1° increasing
6	Name of airfield operator Address Telephone Telefax AFS SITA E-mail URL	Post: Letilište Nišići Šabanci bb 71380 Ilijaš Bosnia and Herzegovina Phone: +387 61 132 031 +387 62 043 636 Fax: NIL AFS: NIL SITA: NIL E-mail: hskando@gmail.com URL: NIL
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	NIL

LQNI AD 4.3 OPERATIONAL HOURS

1	AD operator (AIRFIELD)	On request
2	Customs and immigration	NIL
3	Health and sanitation	In Olovo, H24
4	AIS Briefing Office	Provided by: SARAJEVO ARO AFTN: LQSAZPZX PHONE: +387 33 779 150 FAX: +387 33 546 743 EMAIL: sarajevo.aro@bhansa.gov.ba
5	ATS Reporting Office (ARO)	
6	MET Briefing Office	Provided by: SARAJEVO MET AFTN: LQSAYMYX PHONE: +387 33 779 153 FAX: +387 33 546 743 EMAIL: sarajevo.met@bhansa.gov.ba
7	ATS	NIL
8	Fuelling	NIL
9	Handling	NIL
10	Security	NIL
11	De-icing	NIL
12	Remarks	First landing of VFR flights to and departure from Bosnia and Herzegovina must be performed to/from one of International Airports (LQBK, LQMO, LQSA or LQTZ).

LQNI AD 4.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 1
2	Rescue equipment	NIL
3	Capability for removal of disabled aircraft	NIL
4	Remarks	NIL

LQNI AD 4.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	NIL
2	RWY and TWY markings and LGT	RWY: LDG Direction Indicator RWY EDGE: Flags
3	Stop bars	NIL
4	Remarks	NIL

LQNI AD 4.12 RUNWAY PHYSICAL CHARACTERISTICS

RWY Designator	True BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR COORD, RWY end COORD, THR GUND	THR ELEV and highest ELEV of TDZ of precision APP RWY
1	2	3	4	5	6
18	184°	547 X 18	Strength: up to 2370 KG MTOW Surface:GRASS	440418.61N 0183033.35E NIL NIL	THR NIL TDZ NIL
36	4°	547 X 18	Strength: up to 2370 KG MTOW Surface:GRASS	440400.91N 0183031.54E NIL NIL	THR NIL TDZ NIL

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	OFZ	Remarks
7	8	9	10	11	12	13
NIL	NIL	NIL	570 X 32	NIL	NIL	NIL
NIL	NIL	NIL	570 X 32	NIL	NIL	NIL

LQNI AD 4.17 ATS AIRSPACE

1	Designation and lateral limits	NISICI [1)] 440728N 0183451E; 440215N 0183306E; 440033N 0182607E; 440553N 0182834E; 440728N 0183451E.
2	Vertical limits	GND - 6000 FT AMSL
3	Airspace classification	G
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	10000 FT AMSL
6	Hours of applicability	NIL
7	Remarks	[1)] Sport, glider and parachuting area

LQNI AD 4.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
INFO	NIŠIĆI	123.500 MHZ	On request	NIL

THIS PAGE INTENTIONALLY LEFT BLANK