LQPD - PRIJEDOR

Note: The following sections in this chapter are intentionally left blank: AD-4.5, AD-4.7, AD-4.11, AD-4.13, AD-4.14, AD-4.15, AD-4.16, AD-4.19, AD-4.20, AD-4.21, AD-4.22, AD-4.23, AD-4.24

LQPD AD 4.1 AERODROME LOCATION INDICATOR AND NAME

LQPD - URIJE - PRIJEDOR

LQPD AD 4.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	445936N 0164407E
2	Direction and distance from (city)	2.5 KM NE from Prijedor
3	Elevation/Reference temperature	555 FT/26.5° C
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual Change	4° E (2020)/0.1° increasing
6	AD Administration Address Telephone Telefax AFS SITA URL	Post: Aeroklub "PRIJEDOR" Rudi Čajaveca 40 79000 Prijedor Bosnia and Herzegovina Phone: +387 65 861 029 1) +387 65 699 279 2) +387 65 595 323 2) +387 65 523 326 2) Fax: +387 52 236 429 AFS: NIL SITA: NIL E-mail: akprijedor@yahoo.com URL: NIL
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	1) English and Serbian language 2) Serbian language

LQPD AD 4.3 OPERATIONAL HOURS

1	AD operator (AIRFIELD)	APR 1 through SEP 30: 0800 to 2000 Local time OCT 1 through MAR 31: 0900 to 1630 Local time
2	Customs and immigration	NIL
3	Health and sanitation	In Prijedor, H24
4	AIS Briefing Office	Provided by: BANJA LUKA ARO AFTN: LQBKZPZX PHONE: +387 51 337 537 FAX: +387 51 337 538 EMAIL: banjaluka.aro@bhansa.gov.ba, H24
5	ATS Reporting Office (ARO)	
6	MET Briefing Office	Provided by: BANJA LUKA MET AFTN: LQBKYMYX PHONE: +387 51 337 573 FAX: +387 51 337 571 EMAIL: banjaluka.met@bhansa.gov.ba
7	ATS	NIL
8	Fuelling	NIL
9	Handling	NIL
10	Security	NIL
11	De-icing	NIL
12	Remarks	1)First landing of VFR flights to and departure from Bosnia and Herzegovina must be performed to/from one of International Airports (LQBK, LQMO, LQSA or LQTZ).

LQPD AD 4.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/oil types	NIL
3	Fuelling facilities/capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	Wood hangar dimension 15 M x 30 M; Steel hangar dimension 21 M x 30 M; Concrete hangar dimension 15 M x 30 M.
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

LQPD AD 4.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 1
2	Rescue equipment	NIL
3	Capability for removal of disabled aircraft	NIL
4	Remarks	Cat 2 or CAT 3 on request 48 HR per notice

LQPD AD 4.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron designation, surface and strength		**APRON**		**SURFACE**	**STRENGTH**
			APRON A		CONC	NIL
			APRON B		ASPH	NIL
2	Taxiway width, surface and strength		**TAXIWAY**	**WIDTH**	**SURFACE**	**STRENGTH**
			A	30 M	GRASS	NIL
3	ACL location and elevation		NIL			
4	VOR checkpoints		NIL			
5	INS checkpoints		NIL			
6	Remarks		Part of TWY A is asphalt dimension: 260 M x 6 M			

LQPD AD 4.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Guide lines to and at Aprons Sign boards Nose-out guidance at aircraft stands Vehicle “Follow me” Marshaller
2	RWY and TWY markings and LGT	RWY LDG: Direction indicator RWY EDGE: Concrete boundary markers TWY A: Holding point 1)
3	Stop bars	NIL
4	Remarks	1) Marked with yellow plastic stick, asphalt part marked with yellow lines.

LQPD AD 4.10 AERODROME OBSTACLES

1. OBSTACLES IN AREA 2

Obstacle ID	Obstacle type	Coordinates	ELEV at TOP/ HGT	Marking / LGT type / colour	Remarks
1	2	3	4	5	6
NIL	NIL	NIL	NIL	NIL	NIL
For take of RWY 09 after end of RWY it has electrical wires 10 M high APRX 700 M FMRWY 27 in direction of departure					

2. OBSTACLES IN AREA 3

Obstacle ID	Obstacle type	Coordinates	ELEV at TOP/ HGT	Marking / LGT type / colour	Remarks
1	2	3	4	5	6
NIL	NIL	NIL	NIL	NIL	NIL

LQPD AD 4.12 RUNWAY PHYSICAL CHARACTERISTICS

RWY Designator	True BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR COORD, RWY end COORD, THR GUND	THR ELEV and highest ELEV of TDZ of precision APP RWY
1	2	3	4	5	6
09	090°	900 X 90	Strength: up to 5000 KG MTOW Surface: GRASS/ CONCRETE	445938N 0164352E NIL NIL	THR 540 FT TDZ NIL
27	270°	900 X 90	Strength: up to 5000 KG MTOW Surface: GRASS/ CONCRETE	445938N 0164433E NIL NIL	THR 550 FT TDZ NIL

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	OFZ	Remarks
7	8	9	10	11	12	13
+0.3%	NIL	NIL	1100 X 95	NIL	NIL	NIL
-0.3%	NIL	NIL	1100 X 95	NIL	NIL	NIL

LQPD AD 4.17 ATS AIRSPACE

1	Designation and lateral limits	URIJE-PRIJEDOR [1)] A circle radius 5 NM centered on 445936N 0164407E.
2	Vertical limits	GND - 6000 FT AMSL
3	Airspace classification	G
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	10000 FT AMSL
6	Hours of applicability	NIL
7	Remarks	[1)] Sport, glider and parachuting area

LQPD AD 4.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
INFO	URIJE	123.500 MHZ	APR 1 through SEP 30: 0800 to 2000 Local time OCT 1 through MAR 31: 0900 to 1630 Local time	NIL