LQPP - POPOVI BIJELJINA

Note: The following sections in this chapter are intentionally left blank: AD-4.4, AD-4.5, AD-4.7, AD-4.8, AD-4.10, AD-4.11, AD-4.13, AD-4.14, AD-4.15, AD-4.16, AD-4.19, AD-4.20, AD-4.21, AD-4.22, AD-4.23, AD-4.24

LQPP AD 4.1 AERODROME LOCATION INDICATOR AND NAME

LQPP - POPOVI

LQPP AD 4.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	444603.70N 0191750.70E
2	Direction and distance from (city)	3.5 KM W from Bijeljina
3	Elevation/Reference temperature	310 FT/25° C
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual Change	5° E (2020)/0.1° increasing
6	AD Administration Address Telephone Telefax AFS SITA URL	Post: Letilište Popovi Popovi bb 76300 Bijeljina Bosnia and Herzegovina Phone: +387 65 777 900 Fax: NIL AFS: NIL SITA: NIL E-mail: iliccptsreten@gmail.com URL: NIL
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	NIL

LQPP AD 4.3 OPERATIONAL HOURS

1	AD operator (AIRFIELD)	MON – SUN 09.00 – 14.00 Winter time MON – SUN 07.00 – 16.00 Summer time
2	Customs and immigration	NIL
3	Health and sanitation	In Bijeljina, H24
4	AIS Briefing Office	Provided by: BANJA LUKA ARO PHONE: +387 51 337 537 EMAIL: banjaluka.aro@bhansa.gov.ba
5	ATS Reporting Office (ARO)	
6	MET Briefing Office	Provided by: BANJA LUKA MET PHONE: +387 51 337 573 EMAIL: banjaluka.met@bhansa.gov.ba
7	ATS	NIL
8	Fuelling	YES
9	Handling	NIL
10	Security	NIL
11	De-icing	NIL
12	Remarks	First landing of VFR flights to and departure from Bosnia and Herzegovina must be performed to/from one of International Airports (LQBK, LQMO, LQSA or LQTZ).

LQPP AD 4.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 1
2	Rescue equipment	NIL
3	Capability for removal of disabled aircraft	NIL
4	Remarks	NIL

LQPP AD 4.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	NIL
2	RWY and TWY markings and LGT	RWY LDG Direction indicator RWY EDGE Flags
3	Stop bars	NIL
4	Remarks	NIL

LQPP AD 4.12 RUNWAY PHYSICAL CHARACTERISTICS

RWY Designator	True BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR COORD, RWY end COORD, THR GUND	THR ELEV and highest ELEV of TDZ of precision APP RWY
1	2	3	4	5	6
09	086°	340 X 12	Strength: up to 5700 KG MTOW Surface: GRASS	NIL NIL NIL	THR 310 FT TDZ NIL
18	177°	300 X 10	Strength: up to 5700 KG MTOW Surface: REINFORCED GRASS	NIL NIL NIL	THR 310 FT TDZ NIL
27	266°	340 X 12	Strength: up to 5700 KG MTOW Surface: GRASS	NIL NIL NIL	THR 310 FT TDZ NIL
36	357°	300 X 10	Strength: up to 5700 KG MTOW Surface: REINFORCED GRASS	NIL NIL NIL	THR 310 FT TDZ NIL

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	OFZ	Remarks
7	8	9	10	11	12	13
NIL	NIL	NIL	NIL	NIL	NIL	NIL
NIL	NIL	NIL	NIL	NIL	NIL	NIL
NIL	NIL	NIL	NIL	NIL	NIL	NIL

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	OFZ	Remarks
7	8	9	10	11	12	13
NIL	NIL	NIL	NIL	NIL	NIL	NIL

LQPP AD 4.17 ATS AIRSPACE

1	Designation and lateral limits	POPOVI [1)] 444806.48N 0191014.42E; 444933.29N 0191819.87E; 444923.56N 0192042.84E; 444000.71N 0191449.72E; 444806.48N 0191014.42E.
2	Vertical limits	GND - 5500 FT AMSL
3	Airspace classification	G
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	10000 FT AMSL
6	Hours of applicability	NIL
7	Remarks	[1)] Sport, glider and parachuting area

LQPP AD 4.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
INFO	POPOVI	123.500 MHZ	MON – SUN 09.00 – 14.00 Winter time MON – SUN 07.00 – 16.00 Summer time	NIL